



Trakya Cam Sanayii A.Ş.  
Adres: İş Kuleleri Kule 3 34330  
4.Levent- İSTANBUL/TÜRKİYE  
06

### EN 572-9

**Basic soda lime silicate patterned glass, intended to be used in buildings and construction works, 3mm bronze**

#### Characteristics

<b>Resistance to fire</b>	NPD
<b>Reaction to fire</b>	A1
<b>External fire behaviour</b>	NPD
<b>Bullet resistance</b>	NPD
<b>Explosion resistance</b>	NPD
<b>Burglar resistance</b>	NPD
<b>Pendulum body impact resistance</b>	NPD
<b>Resistance against sudden temperature changes and temperature differentials</b>	40K
<b>Wind, snow, permanent and imposed load resistance of the glass unit</b>	3mm
<b>Direct airborne sound reduction</b>	NPD
<b>Thermal properties</b>	
<b>U-value (EN 673)</b>	NPD
<b>Normal emissivity (EN 12898)</b>	NPD
<b>Radiation properties</b>	
<b>Light transmission and reflection</b>	NPD
<b>Solar energy characteristics</b>	NPD

*NPD: No Performance Determined*



Trakya Cam Sanayii A.Ş.  
Adres: İş Kuleleri Kule 3 34330  
4.Levent- İSTANBUL/TÜRKİYE  
06

### EN 572-9

**Basic soda lime silicate patterned glass, intended to be used in buildings and construction works, 4mm bronze**

#### Characteristics

<b>Resistance to fire</b>	NPD
<b>Reaction to fire</b>	A1
<b>External fire behaviour</b>	NPD
<b>Bullet resistance</b>	NPD
<b>Explosion resistance</b>	NPD
<b>Burglar resistance</b>	NPD
<b>Pendulum body impact resistance</b>	NPD
<b>Resistance against sudden temperature changes and temperature differentials</b>	40K
<b>Wind, snow, permanent and imposed load resistance of the glass unit</b>	4mm
<b>Direct airborne sound reduction</b>	NPD
<b>Thermal properties</b>	
<b>U-value (EN 673)</b>	NPD
<b>Normal emissivity (EN 12898)</b>	NPD
<b>Radiation properties</b>	
<b>Light transmission and reflection</b>	NPD
<b>Solar energy characteristics</b>	NPD

*NPD: No Performance Determined*



Trakya Cam Sanayii A.Ş.  
Adres: İş Kuleleri Kule 3 34330  
4.Levent- İSTANBUL/TÜRKİYE  
06

### EN 572-9

**Basic soda lime silicate patterned glass, intended to be used in buildings and construction works, 6mm bronze**

#### Characteristics

<b>Resistance to fire</b>	NPD
<b>Reaction to fire</b>	A1
<b>External fire behaviour</b>	NPD
<b>Bullet resistance</b>	NPD
<b>Explosion resistance</b>	NPD
<b>Burglar resistance</b>	NPD
<b>Pendulum body impact resistance</b>	NPD
<b>Resistance against sudden temperature changes and temperature differentials</b>	40K
<b>Wind, snow, permanent and imposed load resistance of the glass unit</b>	6mm
<b>Direct airborne sound reduction</b>	NPD
<b>Thermal properties</b>	
<b>U-value (EN 673)</b>	NPD
<b>Normal emissivity (EN 12898)</b>	NPD
<b>Radiation properties</b>	
<b>Light transmission and reflection</b>	NPD
<b>Solar energy characteristics</b>	NPD

*NPD: No Performance Determined*